



INSTRUKTION



Q 99327

Stickat linne

Stickor:

3,5 mm rundstickor 80 cm
Panduro Cotton 8/4 – storlek S 150 g
(M 200 g) L 300 g
Nål att fästa trådar med

Stickförkortningar:

m = maska
rm = rätmaska
am = avigmaska
v.rm = vriden rät maska
v.am = vriden avig maska
omsl = omslag (O)
- = upprepa mellan stjärnorna
tills = tillsammans (T)
runt = varv med rundsticka
avm = avmaska
lyft 1 mgf = lyft 1 maska med garnet
framför, stickas ej
lyft 1 am mgf = lyft 1 avig maska med
garnet framför, stickas ej

Stickfasthet:

22 m x 33 v = 10 x 10 cm

Hålmönster skapas genom att det stickas tre varv med slätstickning, sen ett varv med intagningar och omslag enligt ritningen. Ritningens mönster upprepas mellan markörerna på framsidan. Upprepas på hela framstycket.

Sätt en markör innan första maskan.

T			O
		O	T
O	T		
		O	T
O	T		

Lägg upp 174 (192) 210 m på rundsticka 3,5.

Sticka *5 rm, 1 v.am*, upprepa *-* varvet runt. Fortsätt så tills mudden mäter 4 (4,5) 5 cm. Sticka ett varv med v.rm. samtidigt som det ökas 0 (2) 2 m.

Härifrån stickas det hålmönster på linnets framsida och slätstickning på baksidan, i sidorna mellan fram och bak är det två ränder.

3 varv: Sticka 5 rm, 1 v.am, 1 rm, (markör) 72 (82) 92 rm (markör), 1 rm, 1 v.am, 5 rm, 1 v.am, 5 rm, 1 v.am, 74 (84) 94 rm, 1 v.am, 5 rm, 1 v.am.

1 varv: Sticka 5 rm, 1 v.am, 1 rm, (markör) 72 (82) 92 m hålmönstret enligt ritning (markör), 1 rm, 1 v.am, 5 rm, 1 v.am, 5 rm, 1 v.am, 74 (84) 94 rm, 1 v.am, 5 rm, 1 v.am.

Upprepa dessa fyra varven tills hela arbetet mäter ca 30 (32) 36 cm och nästa varv ska vara ett med hålmönster.

Nu börjar det förberedas för ärmhålen:

V 1: Sticka 6 rm, 1 v.am, 1 rm, 70 (80) 90 m hålmönstret enligt ritning (framsida), 1 rm, 1 v.am, 6 rm, 1 v.am, 6 rm, 1 v.am, 72 (82) 92 rm, 1 v.am, 6 rm, 1 v.am.

V 2: Sticka 7 rm, 1 v.am, 68 (78) 88 rm, 1 v.am, 7 rm, 1 v.am, 7 rm, 1 v.am, 70 (80) 90 rm, 1 v.am, 7 rm, 1 v.am.

V 3: Sticka 9 rm, 1 v.am, 64 (74) 84 rm, 1 v.am, 9 rm, 1 v.am, 9 rm, 1 v.am, 66 (76) 86 rm, 1 v.am, 9 rm, 1 v.am.

V 4: Sticka 10 rm, 1 v.am, 62 (72) 82 rm, 1 v.am, 10 rm, 1 v.am, 10 rm, 1 v.am, 64 (74) 84 rm, 1 v.am, 10 rm, 1 v.am.

V 5: Sticka 11 rm, 1 v.am, 1 rm, 60 (70) 80 m hålmönstret enligt ritning (framsida), 1 rm, 1 v.am, 11 rm, 1 v.am, 11 rm, 1 v.am, 62 (72) 82 rm, 1 v.am, 11 rm, 1 v.am.

V 6: Sticka 11 rm, 1 v.rm, 60 (70) 80 rm, 1 v.rm, 11 rm, 1 v.am, 11 rm, 1 v.rm, 62 (72) 82 rm, 1 v.rm, 11 rm, 1 v.am.

Framstycke

Avmaskas för ärmhålen och fortsätt sticka fram och tillbaka.

V 7: Avm 3 rm, 8 rm, 1 v.rm, 60 (68) 76 rm, 1 v.rm, 13 rm, 1 v.am. Vänd.

V 8: Avm 5 am, 7 (8) 8 am, 1 v.am, 60 (68) 76 am, 1 v.am, 8 (9) 9 am. Vänd.

V 9: Avm 1 rm, 6 (7) 7 rm, 1 v.rm, 60 (68) 76 m hålmönstret enligt ritning, 1 v.rm, 7 (9) 9 rm. Vänd.

V 10: Avm 1 am, 6 (8) 8 am, 1 v.am, 2 am tills, 58 (66) 74 am, 1 v.am, 6 (8) 8 am. Vänd.

För att bilda en fin kant vidare lyfts första m av varje varv på följande vis.

Rätsidan: Lyft första maskan avigt med tråden framför arbetet.

Avigsidan: Lyft första maskan med tråden framför arbetet.

V 11: Lyft 1 mgf, 5 (7) 7 rm, 1 v.rm, 2 rm tills, 54 (65) 75 rm, 1 v.rm, 6 (8) 8 rm. Vänd.

V 12: Lyft 1 am mgf, 6 (7) 7 am, 1 v.am, 2 am tills, 53 (64) 74 am, 1 v.am, 6 (8) 8 am. Vänd.

Fortsätt upprepa dessa två varven med minskningar tills det återstår 27 (37) 47 m hålmönstret enligt ritning (framsida).

Lyft 1 mgf, 5 (7) 7 rm, 1 v.rm, ök 1 m, 27 (37) 47 rm, 1 v.rm, 6 (8) 8 rm. Vänd.

Lyft 1 am mgf, 5 (7) 7 am, 1 v.am, ök 1 m, 28 (38) 48 am, 1 v.am, 6 (8) 8 am. Vänd.

Fortsätt sticka, utan att ändra maskantalet, tills och framsidan mäter 45 (47) 50 cm.

Efter detta avmaskas de 9 (15) 20 mitersta m på arbetet och sidorna stickas klart var för sig. Avmaska 2 m från mitten vartannat tills inga m återstår.

Bakstycke

Stickas likadant som framstycket fast med slätstickning var det är hålmöns-ter och det maskas av för nacken när arbetet mäter 47 (49) 52 cm.

Halskant

Lägg upp 13 (13) 14 m och sticka slätstickning tills arbetet mäter 60 (72) 84 cm eller så långt som behövs vid montering enligt nedan.

Fäst alla trådar och blocka arbetena.

Sy fast halskanten. Börja på ryggstyckets vänstra sida, här sys även knapparna fast. Låt kanten sticka upp 1 cm och sy sen fast i ryggens överkant från vänster mot höger. Lämna 8 (9) 10 cm halskant fri innan den fästs vidare på framsidan från vänster mot höger. Kantens slut ska nu ha 8 (9) 10 cm kvar. Sy fast 3 till 4 små knappar i ena änden av halskanten och trä den andra kanten över knapparna för att fästa.



INSTRUKTION

Knitted vest

Knitting needles:

3.5 mm circular needles 80 cm
Panduro Cotton 8/4 – size S 150 g
(M 200 g) L 300 g
Needle for fastening threads

Pattern abbreviations:

st = stitch
K = knit (stitch)
P = purl (stitch)
k tbl = knit through back loop (results in twisted knit stitch)
p tbl = purl through back loop (results in twisted purl stitch)
YO = yarn over
– = repeat between asterisks
tog = together
round = round with circular needle
BO = bind off
sl1 wyif = slip 1 stitch with the yarn in front, without knitting it
sl1pw wyif = slip 1 stitch purlwise with the yarn in front, without knitting it

Knitting gauge:

22 sts x 33 rows = 10 x 10 cm

Lace stitches are created by knitting three rows of stockinette stitch, then one row with decreases and yarn overs according to the drawing. The pattern of the drawing is repeated between the markers on the front. Repeat on the entire front piece.

Put a marker before the first stitch.

T			O
		O	T
O	T		
		O	T
O	T		

Cast on 174 (192) 210 sts on circular needle size 3.5.
k5, p1 tbl, repeat *–* for the round. Continue like this until the cuff measures 4 (4.5) 5 cm. Knit one row of ktbl while increasing 0 (2) 2 sts.

From here, a lace stitch is knitted on the front of the linen and stockinette stitch on the back, in the sides between the front and back there are two stripes.

3 rows: k5, p1 tbl, k1, (marker) k72 (82) 92 (marker), k1, p1 tbl, k5, p1 tbl, k5, p1 tbl, k74 (84) 94, p1 tbl, k5, p1 tbl.

1 row: k5, p1 tbl, k1, (marker) 72 (82) 92 sts the lace stitch according to drawing (marker), k1, p1 tbl, k5, p1 tbl, k5, p1 tbl, k74 (84) 94, p1 tbl, k5, p1 tbl.

Repeat these four rows until the whole piece measures about 30 (32) 36 cm and the next row should be one with a lace stitch.

Now it's time to start preparing for the armholes:

R 1: k6, k1, p1 tbl, k1, k1, 70 (80) 90 sts the lace stitch according to drawing (front), k1, k1, k1, k1, ptbl, k6, p1 tbl, k6, p1 tbl, k72 (82) 92, p1 tbl, k6, p1 tbl.

R 2: k 7, p1 tbl, k68 (78) 88, p1 tbl, k7, p1 tbl, k1, k1, p1 tbl, k70 (80) k90, p1 tbl, k7, p1 tbl.

R 3: k9, p1 tbl, k64 (74) 84, p1 tbl, k9, p1 tbl, k9, p1 tbl, k66 (76) k86, p1 tbl, k9, p1 tbl.

R 4: k10, p1 tbl, k62 (72) 82, p1 tbl, k10, ptbl 1, k10, p1 tbl, k64 (74) 84, p1 tbl, k10, p1 tbl.

R 5: k11, p1 tbl, k1, 60 (70) 80 sts lace stitch according to drawing (front), k1, p1 tbl, k11, p1 tbl, k11, p1 tbl, k62 (72) k82, p1 tbl, k11, p1 tbl.

R 6: k11, k1 tbl, k60 (70) 80 k, k1 tbl, k11, p1 tbl, k11, k1 tbl, k62 (72) 82, k1 tbl, k11, p1 tbl.

Front panel

Bind off at the armholes and continue to knit back and forth.

R 7: BO k3, k8, k1 tbl, k60 (68) 76, k1 tbl, k13, p1 tbl. Turn.

R 8: BO p5, p7 (8) 8, p1 tbl, p60 (68) 76, p1 tbl, p8 (9) 9. Turn.

R 9: BO k1, k6 (7) 7, k1 tbl, 60 (68) 76 sts the lace stitch according to drawing, k1 tbl, k7 (9) 9. Turn.

R 10: BO p1, p6 (8) 8, p1 tbl, p2 tog, p58 (66) 74, p1 tbl, p6 (8) 8. Turn.

To ensure a tidy edge, slip the first st of each row in the following way.

Right side: Slip the first stitch purlwise with the yarn in front of the piece.

Wrong Side: Slip the first stitch with the yarn in front of the piece.

R 11: sl1 wyif, k5 (7) 7, k1 tbl, k2 tog, k54 (65) 75, k1 tbl, k6 (8) 8. Turn.

R 12: sl1 wyif, p6 (7) 7, p1 tbl, p2 tog, p53 (64) 74, p1 tbl, p6 (8) 8. Turn.

Continue repeating these two rows with decreases until there are 27 (37) 47 sts left in the lace stitch according to the drawing (front).

Sl 1 wyif, k5 (7) 7, k1 tbl, inc 1 st, k27 (37) 47, k1 tbl, k6 (8) 8. Turn.

Sl 1 wyif, p5 (7) 7, p1 tbl, inc 1 st, 28 (38) 48 sts, p1 tbl, p6 (8) 8. Turn.

Continue knitting, without changing the number of stitches, until the front measures 45 (47) 50 cm.

After this, bind off the 9 (15) 20 middle sts on the piece and finish the sides separately. Bind off 2 sts from the middle every other row until no sts remain.

Back panel

Knitted the same as the front panel but with stockinette stitch where there are lace stitches and it is bound off at the neck when the piece measures 47 (49) 52 cm.

Neckline

Cast on 13 (13) 14 sts and use stockinette stitch until the piece measures 60 (72) 84 cm or as long as needed for installation as below.

Fasten all the threads and block the pieces.

Sew on the neckline. Start on the left side of the back piece, and also sew on the buttons. Let the edge stick up 1 cm and then sew in the top of the back from left to right. Leave 8 (9) 10 cm neck edge free before attaching it further to the front from left to right.

The end of the edge should now have 8 (9) 10 cm left. Sew 3 to 4 small buttons to one end of the neckline and thread the other edge over the buttons to fasten.